

# composites

Published by Butterworth Scientific Limited

## Cumulative 5-year index

Volume	No 1 (January)	No 2 (April)	No 3 (July)	No 4 (October)
11	pp 1-56	57-120	121-184	185-248
12	pp 1-88	89-152	153-216	217-300
13	pp 1-88	89-216	217-352	353-424
14	pp 1-80	81-168	169-328	329-408
15	pp 1-88	89-168	169-248	249-328

Each entry is identified by a two-part number; the first part is the volume and the second the page number on which the first page of the article begins. Definite and indefinite articles at the beginning of titles have been ignored in the alphabetical listing. Number to the left of each title is for reference from the classified section

© 1985 Butterworth & Co (Publishers) Ltd

### Authors

- |                                |                                      |  |
|--------------------------------|--------------------------------------|--|
| Abeyasinghe, H.P. 14:57        | Cantwell, W. 14:301                  | Ellis, R.E. 14:233                     |
| Adam, T. 14:288                | Caprino, G. 11:105; 15:231           | Esnault, R. 12:195                     |
| Adams, D.F. 12:117; 15:181     | Carswell, W.S. 11:95                 | Esterling, D.M. 15:305                 |
| Adams, R.D. 15:193; 15:297     | Chai, H. 15:277                      | Evans, T.J. 12:177                     |
| Ainsworth, L. 12:185           | Chaklader, A.C.D. 12:272             |  |
| Aker, S.C. 13:289              | Chandra, M. 12:281                   | Ferrero, C. 14:359                     |
| Aki, F. 12:260; 15:57          | Chaturvedi, S.K. 12:173; 14:62       | Fifield, F.W. 12:38                    |
| Andersson, C.-H. 15:16; 15:101 | Chiang, Y.I. 13:273                  | Finzio, A. 12:27                       |
| Apicella, A. 13:406; 14:387    | Cho, R. 13:164                       | Fischer, S. 11:69; 12:257              |
| Ashbee, K.H.G. 13:365          | Chryssafitis, S. 13:316              | Found, M.S. 14:237                     |
| Ashton, J.N. 15:67             | Cluley, A.P. 14:19                   | Freeguard, G.F. 11:25                  |
| Aurisicchio, S. 12:27          | Cogswell, F.N. 14:251                | Fritz, P.J. 14:393                     |
| Austin, C.D. 13:383            | Cole, R.T. 13:233                    | Froud, G.R. 11:133                     |
|                                | Collings, T.A. 13:241; 14:180; 15:33 |  |
| Babu, B.J.C. 14:383            | Cope, R.D. 13:47                     | Genta, G. 12:129; 13:38; 14:359; 15:49 |
| Bar-Cohen, Y. 11:205           | Copley, S.M. 14:180                  | Ghotra, J.S. 14:57                     |
| Barker, A.J. 14:52; 15:141     | Coutts, R.S.P. 15:139                | Gilbert, S.M. 14:41                    |
| Barton, D.C. 13:66; 13:180     | Crane, D.A. 15:181                   | Gillam, E. 14:41                       |
| Bascom, W.D. 11:9              | Crivelli Visconti, I. 15:231         | Godwin, E.W. 11:155; 13:29; 13:268     |
| Bashford, D.P. 13:401          | Curtis, A.R. 12:275                  | Green, A.K. 12:49; 13:219; 13:401      |
| Bateh, E.J. 13:233             | Curtis, P.T. 14:294; 14:301; 15:259  | Guerra, G. 12:33                       |
| Bathias, C. 12:195             |                                      | Guess, T.R. 11:139                     |
| Beardmore, P. 11:225           | Demuts, E. 14:27; 15:25              |  |
| Beauchamp, M.J. 15:33          | De Vekey, R.C. 11:19; 11:169         | Haigh, J.G. 12:38                      |
| Bergner Jr, H.W. 11:149        | Devine, F.E. 13:311; 14:353          | Hale, J.M. 15:67                       |
| Bhattacharya, S.K. 12:272      | Dewimille, B. 14:35                  | Hall, D.J. 15:266                      |
| Bishop, S.M. 14:201; 15:259    | Di Benedetto, A.T. 12:33             | Halpin, J.C. 11:105                    |
| Bitner, J.L. 11:9              | Dickson, R.F. 14:288                 | Han, K.S. 14:67; 14:145                |
| Bonniau, Ph. 14:345            | Di Ilio, A. 15:231                   | Hancox, N.L. 13:202                    |
| Bowditch, M.R. 13:298          | Dittrich, W.H. 13:323                | Hannant, D.J. 13:105; 13:393           |
| Bowyer, W.H. 12:49; 13:401     | Dootson, M. 11:73; 12:281            | Hardwick, J.G. 12:41                   |
| Brettle, J. 12:135             |                                      | Harel, H. 11:69                        |
| Brinson, H.F. 13:377           | Edge, E.C. 11:101; 14:189            | Haresceugh, R.I. 12:275                |
| Bucknall, C.B. 15:129          | Ellis, B. 14:237                     |  |
| Bunsell, A.R. 14:35; 14:345    |                                      |  |

- Harley, J.A. 12:73  
Harper, S. 13:123  
Harris, B. 14:288  
Hawthorne, H.H. 12:272  
Hayes, B. 14:93  
Herakovich, C.T. 11:149; 14:276  
Hibbert, A.P. 13:105; 13:393  
Hinkel, H.M. 12:288; 14:377  
Hogg, P.J. 12:166; 14:254  
Hollaway, L. 12:57; 13:257; 15:61  
Holmes, M. 11:79  
Hopprich, M. 14:251  
Hughes, D.C. 15:153  
Hull, D. 12:166 13:369  
Humphreys, J. 13:311  
Hyer, M.W. 14:276
- Iaccarino, L. 13:406; 14:387  
Irion, M.N. 12:117  
Ishai, O. 11:205  
Ishakian, V.G. 12:57
- Jakubowski, J.J. 11:161  
Johnson, J.W. 14:107  
Johnson, W. 13:383  
Johnston, C.D. 13:113  
Jones, C.J. 14:288  
Jones, F.R. 14:262; 14:281  
Joshi, Om.K. 14:196
- Kadotani, K. 11:87; 11:199;  
12:260; 15:57  
Kameswara Rao, C.V.S. 15:291  
Kasturiarachchi, K.A. 14:244  
Kilty, P.F. 13:29; 13:268  
Kobayashi, K. 13:164  
Koplev, A. 14:371  
Koutsky, J. 14:67  
Kulkarni, H. 11:225  
Kuwejima, H. 13:24
- Labor, J.D. 13:289  
Laws, V. 13:145  
Legg, M.J. 13:369  
Lin, D.X. 15:297  
Litherland, K.L. 13:173  
Lockett, F.J. 11:209  
Lodge, K.J. 12:135; 13:305  
Lyons, K.B. 12:265  
Lystrup, Aa. 14:371
- Maglio, G. 12:27  
Majumdar, A.J. 11:19; 11:169;  
12:177  
Mallin, G.M. 15:61  
Malhotra, S.K. 14:383  
Marinari, C. 14:359  
Marom, G. 11:69; 12:257  
Marshall, D. 11:25  
Mason, A.J. 14:233  
Matondang, T.H. 15:217  
Matthews, F.L. 11:155; 13:29;  
13:225; 13:286; 13:316  
McMullen, P. 15:222  
Migliaresi, C. 12:33; 13:406;  
14:387  
Milkovich, S.M. 14:276  
Millman, A.F. 11:39  
Molyneux, M. 14:87
- Moore, B.B. 14:294  
Morley, H. 13:21  
Morton, J. 14:301  
Moulton, R.J. 11:9  
Mulheron, M.J. 14:281  
Myhre, S.H. 13:289
- Naik, N.K. 15:310  
Nath, D. 12:124  
Ni, R.G. 15:193; 15:297  
Nicodemo, L. 12:33; 13:406  
Nicolais, L. 11:105; 12:27; 12:33;  
13:406; 14:387  
Norwood, L.S. 11:39  
Noyes, J.V. 14:129
- Oakley, D.R. 13:173  
Orams, H.J. 11:175  
Owen, M.J. 12:13
- Page, C.L. 13:140  
Parker, B.M. 13:280; 14:226  
Parker, S.F.H. 12:281  
Parry, T.V. 12:249  
Partridge, I.K. 15:129  
Pellas, J. 12:195  
Peters, P.W.M. 14:365  
Phakey, P.P. 11:175  
Phillips, M.G. 12:113; 12:191;  
12:265; 14:270  
Phillips, L.N. 13:219; 13:225;  
13:257  
Piccarolo, S. 15:39  
Pickett, A. 13:257  
Pierattini, G. 12:27  
Pipes, R.B. 13:47  
Potter, J. 13:233  
Potter, R.T. 14:206; 15:112  
Prabhakaran, R. 13:253  
Prakash, R. 11:217; 12:193  
Pritchard, G. 12:38; 12:108; 14:57;  
14:244  
Proctor, B.A. 13:173  
Purslow, D. 14:206; 15:43; 15:112;  
15:207
- Queeney, R.A. 14:393
- Rachinger, W.A. 11:175  
Radon, J.C. 15:211  
Rahman, M.U. 13:273  
Rahman, T.A. 11:79  
Rajaiah, K. 15:310  
Ramsteiner, F. 12:65; 15:121  
Reiter, H. 14:288  
Rice, D.J. 12:13  
Roberts, R.C. 11:95  
Robson, B.L. 15:266  
Roccatelli, S. 13:406; 14:387  
Rock, J.W. 14:262  
Rohagti, P.K. 12:124  
Roman, I. 11:69; 12:257  
Rosenberg, H.M. 12:73  
Rosenow, M.W.K. 15:144
- Roshan, A.A. 13:225  
Rowlands, R.E. 13:273
- Sage, G.N. 13:228  
Sargent, J.P. 11:73  
Sato, M. 13:24  
Savedra, R.C. 13:323  
Schütz, D. 15:217  
Scoular, R.P. 14:19  
Shah, S.P. 13:153  
Sharples, T. 14:101  
Shibuya, I. 15:134  
Short, D. 11:33; 15:200  
Short Jr, J.S. 14:276  
Shyprikevich, P. 15:25  
Siebert, A.R. 11:9  
Singh, B. 12:177  
Smith, J.W. 13:161  
Soden, P.D. 13:66; 13:180  
Spencer, B. 12:166  
Stannard, K.J. 13:298  
Stroeve, P. 13:129  
Suaris, W. 13:153  
Subramanian, R.V. 11:161  
Summerscales, J. 11:33; 15:200  
Sve, C. 13:323  
Swann, R.T. 13:305
- Teagle, P.R. 14:115  
Theysohn, R. 15:121  
Titomanlio, G. 15:39  
Tiu, W.P. 13:228
- Valentin, D. 14:345  
Vangerko, H. 14:52; 14:141  
Vorm, T. 14:371
- Wachnicki, C.R. 15:211  
Waghorne, R.M. 13:280  
Wagner, H.D. 12:257  
Walter, E. 13:365  
Walters, B.J. 12:281; 13:383  
Warren, R. 15:16; 15:101  
Watanabe, T. 12:260; 13:24; 13:54;  
13:59; 15:134  
Wells, R.A. 13:169  
West, J.M. 11:19; 11:169  
Wheatley, A.R. 14:262  
Wilkinson, T.L. 13:273  
Wolff, E.G. 13:323  
Wong, C.M. 13:316  
Woolstencroft, D.H. 12:275  
Wostenholm, G.H. 11:73  
Wright, M.D. 11:46  
Wright, W.W. 12:201  
Wronski, A.S. 12:249
- Yasuda, M. 13:54; 13:59; 15:134  
Yates, B. 11:73; 12:281  
Yeow, Y.T. 12:139
- Zweben, C. 12:235  
Zybert, J.J. 11:175

## Titles

- 1 Accelerated ageing of a glass fibre-reinforced epoxy resin in water. B. Dewimille and A.R. Bunsell. 14:35
- 2 Accelerated environmental testing of composites. E. Demuts and P. Shyprykevich. 15:25
- 3 Adhesive bonding of GRP. M.R. Bowditch and K.J. Stannard. 13:298
- 4 Advanced composites for aerospace applications. A review of current status and future prospects. C. Zweben. 12:235
- 5 Alumina fibres from aluminium wire. A.C.D. Chaklader, H.H. Hawthorne and S.K. Bhattacharya. 12:272
- 6 Amplitude distribution acoustic emission signatures of unidirectional fibre composite hybrid materials. D. Short and J. Summerscales. 15:200
- 7 Analysis of a crimped and bonded joint for load bearing skeletal members. A. Pickett, L. Hollaway and L.N. Phillips. 13:257
- 8 Analysis of interlaminar shear strength of mica/epoxy insulations. K. Kadotani and F. Aki. 15:57
- 9 Analysis of moisture gradients in service and in the laboratory. E.C. Edge. 14:189
- 10 Application of fracture mechanics to graphite fibre-reinforced composites. C. Bathias, R. Esnault and J. Pellas. 12:195
- 11 An approximate theory of photoelasticity for birefringent filamentary composites. S.K. Chaturvedi. 12:173
- 12 Assessment of chopped strand mat GRP lamination for the construction of damage resistant ship hull structures. A.K. Green, D.P. Bashford and W.H. Bowyer. 13:401
- 13 An assessment of the potential of woven carbon fibre-reinforced plastics for high performance applications. P.T. Curtis and S.M. Bishop. 15:259
- 14 Autoclaved beaten wood fibre-reinforced cement composites. R.S.P. Coutts. 15:139
- 15 Bearing deflection behaviour of a loaded hole in CFRP. T.A. Collings and M.J. Beauchamp. 15:33
- 16 Biaxial strength behaviour of glass fabric-reinforced polyester resins. M.J. Owen and D.J. Rice. 12:13
- 17 Biaxial testing of composite cylinders: experimental-theoretical comparison. T.R. Guess. 11:139
- 18 The bolt bearing strength of glass/carbon hybrid composites. F.L. Matthews, A.A. Roshan and L.N. Phillips. 13:225
- 19 Bolted assembly of engineering components press moulded from sheet moulding compound. F.E. Devine and J. Humphreys. 13:311
- 20 Bullet-resistant glass. A review of product and process technology. G.F. Freeguard and D. Marshall. 11:25
- 21 Bursting and bulging of carbon fibre composite discs. C.D. Austin, W. Johnson and B.J. Walters. 13:383
- 22 Calculation of critical rotational speeds of composite discs. H. Hinkel. 12:288
- 23 CFRP rocket motor tubes wound with continuous pre-impregnated fibres. J.G. Hardwick. 12:41
- 24 The characterization of Mode I delamination failure in non-woven, multidirectional composites. H. Chai. 15:277
- 25 Chemical feasibility of lithium as a matrix for structural composites. R.T. Swann and D.M. Esterling. 15:305
- 26 Combined loading micromechanical analysis of a unidirectional composite. D.F. Adams and D.A. Crane. 15:181
- 27 Comparison of test techniques used for the evaluation of the unidirectional compressive strength of carbon fibre-reinforced plastic. D.H. Woolstencroft, A.R. Curtis and R.I. Haresceugh. 12:275
- 28 Composites fractography without an SEM — the failure analysis of a CFRP I-beam. D. Purslow. 15:43
- 29 Composites in the construction of the Lear Fan 2100 aircraft. J.V. Noyes. 14:129
- 30 Composition parameters for hybrid composite materials. M.G. Phillips. 12:113
- 31 Compression creep testing of unidirectional composite materials. M.N. Irion and D.F. Adams. 12:117
- 32 The compressive behaviour of a carbon fibre-reinforced plastic ring with a non-linear section. M. Yasuda, I. Shibuya and T. Watanabe. 15:134
- 33 Compressive fatigue behaviour of a glass fibre-reinforced polyester composite at 300 K and 77 K. K.S. Han. 14:145
- 34 Creep behaviour of glass-reinforced plastic box beams. M. Holmes and T.A. Rahman. 11:79
- 35 Creep-rupture and damage mechanisms in glass-reinforced plastics. K.B. Lyons and M.G. Phillips. 12:265
- 36 Crimp bonded end fittings for use on pultruded composite sections. A.K. Green and L.N. Phillips. 13:219
- 37 Current dependent resistance effect in carbon fibre composite joints. K.J. Lodge and J. Brettle. 12:135
- 38 The cutting process, chips and cutting forces in machining CFRP. A. Koplev, Aa. Lystrup and T. Vorm. 14:371
- 39 Deformation of cold-rolled wire-reinforced copper composites. S.M. Gilbert and E. Gillam. 14:41

- 40 Design methodology for automotive components using continuous fibre-reinforced composite materials. H. Kulkarni and P. Beardmore. 11:225
- 41 Design of a composite spar-wingskin joint. R.D. Cope and R.B. Pipes. 13:47
- 42 Developing asbestos-free calcium silicate building boards. S. Harper. 13:123
- 43 Developing a materials system for use in making orthopaedic calipers. N.L. Hancox. 13:202
- 44 Development of improved attachment methods for stiffening frames on large GRP panels. A.K. Green and W.H. Bowyer. 12:49
- 45 Developments in the assessment and performance of GRC over 10 years. B.A. Proctor, D.R. Oakley and K.L. Litherland. 13:173
- 46 Dispersion of ultrasonic data as a measure of hygrothermal effects on fibre-reinforced plastic laminates. O. Ishai and Y. Bar-Cohen. 11:205
- 47 The dynamic properties of carbon-glass fibre sandwich-laminated composites: theoretical, experimental and economic considerations. R.G. Ni, D.X. Lin and R.D. Adams. 15:297
- 48 The effect of composite prebond moisture on adhesive-bonded CFRP-CFRP joints. B.M. Parker. 14:226
- 49 Effect of diffusion of water into epoxy resins and their carbon fibre-reinforced composites. W.W. Wright. 12:201
- 50 The effect of environmental exposure on the fatigue behaviour of CFRP laminates. P.T. Curtis and B.B. Moore. 14:294
- 51 The effect of environment on the compression strength of notched CFRP — a fractographic investigation. D. Purslow and R.T. Potter. 15:112
- 52 Effect of fibre content on the simultaneous determination of Young's and shear moduli of unidirectional composites. H.D. Wagner, S. Fischer, I. Roman and G. Marom. 12:257
- 53 The effect of glue-line voids and inclusions on the fatigue strength of bonded joints in composites. G.N. Sage and W.P. Tiu. 13:228
- 54 The effect of moisture on the expansion behaviour and thermal strains in GRP. F.R. Jones and M.J. Mulheron. 14:281
- 55 Effect of moisture on the notch sensitivity of carbon fibre composites. S.M. Bishop. 14:201
- 56 The effect of moisture on the shear properties of carbon fibre composites. Om. K. Joshi. 14:196
- 57 Effect of reinforcement geometry on stress intensity factor calibrations in composites. H. Harel, G. Marom, S. Fischer and I. Roman. 11:69
- 58 Effect of resin flexibility on the properties of filament wound tubes. M.J. Legg and D. Hull. 13:369
- 59 Effects of anisotropy and inhomogeneity on GRP pressure pipe. F.J. Lockett. 11:209
- 60 Effects of morphology in the epoxy/PES matrix on the fatigue behaviour of uniaxial CFRP. C.B. Bucknall and I.K. Partridge. 15:129
- 61 The effects of water absorption on a polyester/chopped strand mat laminate. B. Ellis and M.S. Found. 14:237
- 62 Elastic behaviour of unidirectional short fibre-reinforced thermoplastics. F. Ramsteiner. 12:65
- 63 Electrical properties of the glass/epoxy interface. K. Kadotani. 11:199
- 64 The electrical properties of joints in carbon fibre composites. K.J. Lodge. 13:305
- 65 Electrochemical coating for prevention of carbon fibre release from polymer composites. J.J. Jakubowski and R.V. Subramanian. 11:161
- 66 The environmental degradation of notched CFRP in compression. R.T. Potter and D. Purslow. 14:206
- 67 Environmental fatigue of reinforced plastics. C.J. Jones, R.F. Dickson, T. Adam, H. Reiter and B. Harris. 14:288
- 68 Environmental fatigue stress failure mechanisms for glass fibre mat-reinforced polyester. W.S. Carswell and R.C. Roberts. 11:95
- 69 Environmental resistance of carbon fibre-reinforced polyether etherketone. F.N. Cogswell and M. Hopprich. 14:251
- 70 Experimental strain measurements on bare filament flywheels. C. Ferrero, G. Genta and C. Marinari. 14:359
- 71 Fabrication of a composite recording disc substrate. H.M. Hinkel. 14:374
- 72 Factors affecting the stress corrosion of GRP in acid environments. P.J. Hogg. 14:254
- 73 Failure mechanism discrimination in carbon fibre-reinforced epoxy composites. D. Valentin, Ph. Bonniau and A.R. Bunsell. 14:345
- 74 Fasteners for composite structures. R.T. Cole, E.J. Bateh and J. Potter. 13:233
- 75 Fatigue crack growth in a CMS composite using compliance and Moiré techniques. C.R. Wachnicki and J.C. Radon. 15:211
- 76 Fatigue spectrum sensitivity of composite joints. E. Demuts. 14:27
- 77 Fibre-reinforced plastic pipes and applications. L. Ainsworth. 12:185
- 78 Fibre/resin composites for aircraft primary structures: a short history, 1936-1984. P. McMullen. 15:222
- 79 Fibre volume fraction measurement in composites by X-ray diffractometer. R. Prakash. 12:193
- 80 Finite element stress analysis of a notched coupon specimen for in-plane shear behaviour of composites. C.T. Herakovich and H.W. Bergner, Jr. 11:149
- 81 Flexural characteristics of steel fibre and polyethylene fibre hybrid-reinforced concrete. K. Kobayashi and R. Cho. 13:164
- 82 Fracture behaviour of sheet moulding compounds Part 1. Under tensile load. T. Watanabe and M. Yasuda. 13:54
- 83 Fracture behaviour of sheet moulding compounds Part 2. Influence of constituents on mechanical properties. T. Watanabe and M. Yasuda. 13:59
- 84 Future developments in fibre-reinforced cement, mortar and concrete. R.A. Wells. 13:169



- 85 Glass fibre-reinforced supersulphated cement. A.J. Majumdar, B. Singh and T.J. Evans. 12:177
- 86 Hybrids — a review Part 2. Physical properties. D. Short and J. Summerscales. 11:33
- 87 The influence of anti-buckling guides on the compression-fatigue behaviour of carbon fibre-reinforced plastic laminates. T.H. Matondang and D. Schütz. 15:217
- 88 Influence of distribution between fibre orientations upon the thermal expansion characteristics of carbon fibre-reinforced plastics. S.F.H. Parker, M. Chandra, B. Yates, M. Dootson and B.J. Walters. 12:281
- 89 The in-service flight testing of some carbon fibre-reinforced plastic components. R.E. Ellis and A.J. Mason. 14:233
- 90 The interlaminar fracture of organic-matrix, woven reinforced composites. W.D. Bascom, J.L. Bitner, R.J. Moulton and A.R. Siebert. 11:9
- 91 Jointing of components moulded in carbon fibre-reinforced thermoplastics. A.P. Cluley and R.P. Scoular. 14:19
- 92 Lightweight glass-reinforced cement. J.M. West, A.J. Majumdar and R.C. de Vekey. 11:19
- 93 Low-cost tooling for the hot press moulding of fibre-reinforced polyester: a case study. G.M. Mallin and L. Hollaway. 15:61
- 94 Mechanical and electrical properties of mica flake integrated sheet/epoxy laminates. K. Kadotani, E. Aki and T. Watanabe. 12:260
- 95 Mechanical properties of glass-bead filled polystyrene. L. Nicolais, G. Guerra, C. Migliaresi, L. Nicodemo and A.T. Di Benedetto. 12:33
- 96 Mechanical properties of plastics composites under low temperature conditions. K. Kadotani. 11:87
- 97 Metglas®/epoxy ribbon-reinforced composites. Y.T. Yeow. 12:139
- 98 Micromechanical aspects of the fibre-cement bond. V. Laws. 13:145
- 99 Microstructural features of interfaces in fibre cement composites. C.L. Page. 13:140
- 100 Moisture problems in advanced composite structural repair. S.H. Myhre, J.D. Labor and S.C. Aker. 13:289
- 101 Non-destructive testing of composites. R. Prakash. 11:217
- 102 On the accelerated ageing of CFRP. T.A. Collings and S.M. Copley. 14:180
- 103 On applicability of absolute retardation techniques for stress-separation in birefringent filamentary composites. S.K. Chaturvedi. 14:62
- 104 On the bearing strengths of CFRP laminates. T.A. Collings. 13:241
- 105 On the design of thick rim composite material filament wound flywheels. G. Genta. 15:49
- 106 On the increasing fracture toughness at increasing notch length of 0/90 and 0/±45/0 graphite epoxy laminates. P.W.M. Peters. 14:365
- 107 On the optical assessment of the void content in composite materials. D. Purslow. 15:207
- 108 On the tensile behaviour of filled composites. F. Ramsteiner and R. Theysohn. 15:121
- 109 Opto-acoustic detection of thermally induced micro-cracking in Al/CFRP joints. E.G. Wolff, W.H. Dittrich, R.C. Savedra and C. Sve. 13:323
- 110 Osmosis in composite materials. E. Walter and K.H.G. Ashbee. 13:365
- 111 Photoelastic investigation of bolted joints in composites. R. Prabhakaran. 13:253
- 112 Polyester moulding materials in automotive under-bonnet environments. F.E. Devine. 14:353
- 113 Polymer impregnated lightweight GRC. J.M. West, A.J. Majumdar and R.C. de Vekey. 11:169
- 114 Polymer selection and matrix aspects of processing and manufacture of fibre composites. B. Hayes. 14:93
- 115 Post-impact fatigue performance of carbon fibre laminates with non-woven and mixed-woven layers. W. Cantwell, P. Curtis and J. Morton. 14:301
- 116 Prediction of long-term stress-rupture life for glass fibre-reinforced polyester composites in air and aqueous environments. M.G. Phillips. 14:270
- 117 Prepreg, tape and fabric technology for advanced composites. M. Molyneux. 14:87
- 118 Processing and property relationships for fibre composites. J.W. Johnson. 14:107
- 119 Properties of polymer impregnated tuffs. S. Aurisicchio, A. Finzio, G. Maglio, L. Nicolais and G. Pierattini. 12:27
- 120 The quality control and non-destructive evaluation of composite aerospace components. P.R. Teagle. 14:115
- 121 Quasi-square holes with maximum failure strength in orthotropic plates. N.K. Naik and K. Rajaiah. 15:310
- 122 A rational method for obtaining the dynamic mechanical properties of laminae for predicting the stiffness and damping of laminated plates and beams. R.G. Ni and R.D. Adams. 15:193
- 123 The replacement of asbestos cement by GRC. J.W. Smith. 13:161
- 124 Reproducible processing and reliable repeatability in carbon fibre composites. T. Sharples. 14:101
- 125 A review of the design and materials evaluation programme for the GRP-foam sandwich composite hull of the RAN minehunter. D.J. Hall and B.L. Robson. 15:266
- 126 A review of the strength of joints in fibre-reinforced plastics Part 1. Mechanically fastened joints. E.W. Godwin and F.L. Matthews. 11:155

- 127 A review of the strength of joints in fibre-reinforced plastics Part 2. Adhesively bonded joints. F.L. Matthews, P.F. Kilty and E.W. Godwin. 13:29
- 128 Segregation of mica particles in centrifugal and static castings of aluminium/mica composites. D. Nath and P.K. Rohatgi. 12:124
- 129 Selective reinforcement of an aluminium alloy by adhesive bonding with uniaxially aligned carbon fibre/epoxy composites. T.V. Parry and A.S. Wronski. 12:249
- 130 Shape factor of composite material filament-wound flywheels. G. Genta. 12:129
- 131 Short-term in-plane stiffness and strength properties of CSM-reinforced polyester laminates. D.C. Barton and P.D. Soden. 13:66
- 132 Silicon carbide fibres and their potential for use in composite materials Part 1. C.-H. Andersson and R. Warren. 15:16
- 133 Silicon carbide fibres and their potential for use in composite materials Part 2. R. Warren and C.-H. Andersson. 15:101
- 134 Single- and multiple-bolted joints in orthotropic materials. R.E. Rowlands, M.U. Rahman, T.L. Wilkinson and Y.I. Chiang. 13:273
- 135 Spin tests on medium energy density flywheels. G. Genta. 13:38
- 136 Stability analysis of continuum/skeletal fibre/matrix composites. L. Hollaway and V.G. Ishakian. 12:57
- 137 Steel-fibre reinforced concrete — present and future in engineering construction. C.D. Johnston. 13:113
- 138 Stiffness and strength of asymmetric glass reinforced polyester laminates. D.C. Barton and P.D. Soden. 13:180
- 139 Strain limited design criteria for reinforced plastic process equipment. L.S. Norwood and A.F. Millman. 11:39
- 140 Strain-rate effects in fibre-reinforced concrete subjected to impact and impulsive loading. W. Suaris and S.P. Shah. 13:153
- 141 Strength and stiffness parameters for composites. M.G. Phillips. 12:191
- 142 Strength of multi-bolt joints in GRP. E.W. Godwin, F.L. Matthews and P.F. Kilty. 13:268
- 143 Stress and strain corrosion of glass-reinforced plastics. P.J. Hogg, D. Hull and B. Spencer. 12:166
- 144 Stress corrosion cracking and its implications for the long-term durability of E-glass fibre composites. F.R. Jones, J.W. Rock and A.P. Wheatley. 14:262
- 145 Stress distribution around a single bolt in fibre-reinforced plastic. F.L. Matthews, C.M. Wong and S. Chrysafitis. 13:316
- 146 Stress distribution in carbon fibre-reinforced plastic joints. M.D. Wright. 11:46
- 147 Stress transfer between fibrillated polyalkene films and cement matrices. D.C. Hughes. 15:153
- 148 Structural modelling of plain and fibre-reinforced concrete. A morphological approach to a cracked region. P. Stroeven. 13:129
- 149 A study of GRP skin/foam core sandwich structures. S.K. Malhotra and B.J.C. Babu. 14:383
- 150 Substances contributing to the generation of osmotic pressure in resins and laminates. H.P. Abeyasinghe, J.S. Ghotra and G. Pritchard. 14:57
- 151 Surface pretreatment of carbon fibre-reinforced composites for adhesive bonding. B.M. Parker and R.M. Waghorne. 13:280
- 152 Temperature dependence of elastic constants of CFRP. A.J. Barker and H. Vangerko. 14:52
- 153 Temperature dependence of mechanical and thermal expansion properties of T300/5208 graphite/epoxy. M.W. Hyer, C.T. Herakovich, S.M. Milkovich and J.S. Short, Jr. 14:276
- 154 Temperature dependent dynamic shear properties of CFRP. A.J. Barker and H. Vangerko. 14:141
- 155 Theoretical determination of composite material elastic compliances. J.J. Zybert, W.A. Rachinger, P.P. Phakey and R.J. Orams. 11:175
- 156 Thermal bending of composite plates. C.V.S. Kameswara Rao. 15:291
- 157 Thermal expansion behaviour of laminated composites. Evaluation of superficial deviation from lamination theory. G. Titomanlio and S. Piccarolo. 15:39
- 158 Thermal expansion of carbon/carbon composites. H.M. Rosenberg and J.A. Harley. 12:73
- 159 Time- and temperature-dependent effects in the thermal expansion characteristics of carbon fibre-reinforced plastics. M. Dootson, J.P. Sargent, G.H. Wostenholm and B. Yates. 11:73
- 160 Toughness of cement composites containing polypropylene films compared with other fibre cements. A.P. Hibbert and D.J. Hannant. 13:393
- 161 Toughness of fibre cement composites. A.P. Hibbert and D.J. Hannant. 13:105
- 162 Use of carbon-14 radiotracers to determine wax distributions in resins and laminates. G. Pritchard, J.G. Haigh and F.W. Fifield. 12:38
- 163 The viscoelastic constitutive modelling of adhesives. H.F. Brinson. 13:377
- 164 Water absorption of glass/epoxy laminates under bending stresses. K.A. Kasturirachchi and G. Pritchard. 14:244
- 165 The water ageing of unsaturated polyester based composites: influence of resin chemical structure. A. Apicella, C. Migliaresi, L. Nicolais, L. Iaccarino and S. Roccotelli. 14:387
- 166 Water sorption and mechanical properties of a glass-reinforced polyester resin. A. Apicella, C. Migliaresi, L. Nicodemo, L. Nicolais, L. Iaccarino and S. Roccotelli. 13:406
- 167 Wind angle effects in glass fibre-reinforced polyester filament wound pipes. M.W.K. Rosenow. 15:144
- 168 Your sandwich order, Sir? G.r. Froud. 11:133

## Research Reports

- 169 Effect of water on the interlaminar fracture behaviour of glass fibre-reinforced polyester composite. K.S. Han and J. Koutsky. 14:67
- 170 Effect, on moisture absorption experiments, of failure to dry specimens prior to exposure. E.C. Edge. 11:101
- 171 Elastic behaviour of composite structures under low velocity impact. G. Caprino, I. Crivelli Visconti and A. Di Ilio. 15:231
- 172 Fracture toughness of graphite/epoxy laminates. G. Caprino, J.C. Halpin and L. Nicolais. 11:105

- 173 High current DC arc ignition testing of GRP. T. Watanabe, M. Sato and H. Kuwajima. 13:24
- 174 The mechanical properties of polyester/glass laminates containing skin-forming additives. G. Pritchard, J.G. Haigh and G.J. Swampillai. 12:108
- 175 A novel tensile specimen for sheet material. J.M. Hale and J.N. Ashton. 15:67
- 176 A simple strand test for routine fibre strength and modulus evaluation. H. Morley. 13:21
- 177 Viscoelastic and plastic relaxation of residual stresses around macroparticle reinforcements in metal matrices. P.J. Fritz and R.A. Queeney. 14:393

## Classification of papers

### Components and structures

anti-buckling guides: 87  
asbestos-free building board: 42  
box beams: 34  
bullet-resistant glass: 20  
discs: 21, 22  
end fittings: 36  
fasteners: 74  
filament wound tubes: 58, 167  
flywheels: 70, 105, 130, 135  
I-beams: 28  
insulations: 8  
joints: see separate section  
Lear Fan 2100 aircraft: 29  
non-uniform rings: 32  
orthopaedic calipers: 43  
pipes: 59, 77  
recording disc: 71  
rocket motor tubes: 23  
sandwich composites: 47, 125, 149, 168  
ship hulls: 12, 125  
skeletal members: 7, 136  
structural modelling: 148  
structural repair: 100

### Design

automotive components: 40  
naval minehunter: 125  
process equipment: 139  
spar-wingskin joint: 41  
tensile specimen: 175  
thick rim filament wound flywheels: 105

### Electrical properties

CFRP joints: 37, 64  
glass/epoxy interface: 63  
mica/epoxy laminates: 94

### Environmental testing

accelerated ageing: 1, 2, 9, 102  
corrosion tests: 68, 69, 72, 75, 116, 143, 144  
high temperature exposure: 2, 50, 56, 66, 69, 76, 164, 165, 166  
humidity exposure: 2, 48, 49, 50, 51, 55, 56, 66, 67, 164  
low temperature exposure: 96  
in-service testing: 89  
water-immersion tests: 1, 49, 51, 56, 61, 67, 69, 76, 165, 166, 169

### Fibres: see Reinforcements

### Fillers

glass beads: 95  
mica: 8, 94  
tensile behaviour of filled composites: 108

### Industrial applications

aerospace: 4, 23, 29, 41, 74, 78, 89, 120  
automotive: 40, 112  
civil engineering: 42, 77, 137  
marine: 12, 125  
medical: 43

### Joints

adhesive-bonded: 3, 7, 41, 53, 109, 127, 146, 151  
electrical properties: 64  
mechanically fastened: 18, 19, 91, 111, 126, 134, 142, 145

### Matrices

aluminium: 128, 177  
bisphenol: 75  
calcium silicate: 42  
carbon: 158  
cement/concrete: 14, 45, 81, 84, 85, 92, 98, 99, 113, 123, 137, 140, 147, 148, 160, 161  
copper: 39  
epoxy: 1, 2, 8, 10, 13, 15, 17, 18, 21, 24, 26, 27, 28, 31, 32, 37, 38, 48, 49, 50, 51, 55, 56, 60, 63, 66, 67, 73, 87, 88, 89, 94, 97, 104, 106, 115, 129, 144, 152, 153, 154, 158, 159, 164, 172  
lithium: 25  
polyester: 3, 12, 16, 19, 33, 35, 44, 54, 61, 68, 72, 93, 112, 116, 131, 138, 143, 144, 165, 166, 167, 169, 171, 174  
polyether etherketone: 69  
polyethersulphone: 60  
polystyrene: 95  
resin effects: 58, 60, 107  
thermoplastics (general): 62, 91

### Mechanical properties

durability: 144  
elastic constants: 52, 122, 152, 153, 154, 166, 168  
elasticity: 47, 62  
stiffness: 131, 138, 141  
strength:  
bearing: 104  
biaxial: 17, 18  
bolt-bearing: 18, 19  
compressive: 27, 32, 33, 51, 66, 87  
fatigue: 53, 67, 68, 87, 114  
failure: 121  
joint: 126, 127, 142  
interlaminar shear: 8, 90  
notch sensitivity: 55, 66  
tensile: 24, 82, 83, 84  
toughness: 106, 160, 161, 172

### Mechanical testing

bend testing: 19, 52, 57, 81, 85, 92, 94, 113, 131, 138, 156, 165, 169  
burst tests: 21, 35  
cleavage tests: 24, 90  
compression testing: 16, 19, 27, 31, 32, 33, 51, 58, 66, 87, 138  
creep testing: 31, 34, 35  
deflection tests: 15  
dynamic testing: 47, 122, 154  
fatigue testing: 33, 50, 53, 60, 61, 67, 68, 75, 76, 87, 115  
ignition testing: 173  
impact testing: 21, 85, 113, 115, 140, 171  
pull-out tests: 98  
shear tests: 8, 16, 19, 56, 80, 152, 154, 174  
tensile testing: 16, 17, 58, 61, 82, 83, 85, 92, 96, 108, 113, 116, 131, 138, 152, 166, 175, 176

### Modelling composite behaviour

failure mechanisms: 6, 16, 19, 21, 24, 28, 32, 35, 50, 51, 53, 55, 56, 60, 66, 67, 68, 73, 76, 82, 83, 90, 94, 115, 116, 142, 143, 144, 160, 161, 164, 169, 171, 172  
finite element analysis: 7, 26, 32, 80, 134, 136, 155  
fracture mechanics: 10, 57, 75, 106

lamination theory: 17, 157  
miscellaneous: 9, 11, 22, 30, 34, 39,  
40, 52, 58, 59, 61, 62, 88, 100, 102,  
104, 121, 122, 130, 138, 141, 148,  
149, 156, 163, 170, 177  
stress field distributions: 111, 145

#### **Non-destructive testing**

acoustic emission methods: 6, 73,  
101, 120  
eddy-current testing: 101  
optical inspection: 28, 51, 107  
opto-acoustic methods: 109  
photoelastic methods: 11, 75, 103,  
111, 120  
radiographic methods: 79, 101, 120,  
162  
thermography: 120  
ultrasonic methods: 46, 101, 120

**Osmosis:** 110, 150

#### **Processing**

bullet-resistant glass: 20  
equipment design: 139  
machining CFRP: 38  
matrix aspects: 114  
prepreg, tapes and fabrics: 117  
property relationships: 118  
quality control: 120  
stiffener attachment: 45  
reproducibility and repeatability:  
124  
tooling for hot press moulding: 93

#### **Reinforcements**

alumina fibres: 5  
chopped strand mat: 12, 61, 75, 131  
carbon (or graphite) fabric/fibres:  
2, 10, 13, 15, 17, 21, 24, 26, 27, 28,  
31, 32, 37, 38, 48, 49, 50, 51, 55,  
56, 60, 64, 65, 66, 67, 69, 73, 87,  
88, 89, 91, 102, 104, 106, 115, 124,  
146, 151, 152, 153, 154, 158, 159,  
172

fibre effects: 52, 57, 59, 79, 88, 107,  
176  
glass fabric/fibres: 1, 3, 16, 31, 33,  
34, 35, 44, 45, 54, 58, 59, 63, 67,  
68, 72, 92, 99, 113, 116, 123, 125,  
138, 142, 143, 144, 149, 164, 165,  
166, 167, 168, 171, 173, 174  
hybrid: 6, 18, 30, 47, 86  
Kevlar fibres: 17, 67  
macroparticles: 177  
metal wire: 39  
Metglas<sup>®</sup>: 97  
polyalkene films: 147, 160  
silicon carbide: 132, 133  
sheet moulding compound: 19, 82,  
83, 85, 93  
short fibre reinforcement: 62  
steel fibres: 81, 99, 137  
wood fibre: 14  
woven (general): 90

**Thermal expansion:** 54, 88, 152, 157,  
158, 159



